


EQUINE ACUPRESSURE : LIVER MERIDIAN



● WOOD ELEMENT
LIVER, GALL BLADDER



Acupoint	Location	Uses
LIV 1	on the craniomedial aspect of the hind foot, just proximal to the coronary band.	can be used to stop bleeding, laminitis, sidebone, ringbone, tight muscles, irregular heat cycles, urinary tract infections, incontinence, constipation.
LIV 2	on the medial side of the hind leg below the fetlock. Cranial to the extensor branch of the suspensory ligament.	seizures, convulsions, headshaking due to Liver Wind, mares that have frequent heat cycles, eye problems, headache, laminitis, sidebone, ringbone, constipation, urinary tract infections.
LIV 3	on the craniomedial side of the hind leg along the upper 1/3 of the cannon bone.	pain that moves around in body, pain in the Stomach, digestive problems, irregular heat cycles, eye disorders, urinary tract infections, over-reactive, aggression, anger, agitation, biting, charging.
LIV 8	on the medial side of upper hind leg just behind the saphenous vein, beneath the bulge of the thigh muscles. (Not pictured here.)	stifle issues, mares with reproductive problems, diarrhea, urinary tract infections.
LIV 13	at the distal end of the 17th rib.	tension or pain in rib cage, abdominal pain, abdominal masses, cinchy behavior, body tremors, bloating, diarrhea, gas, irritability, frustration, anger, aggression.
LIV 14	in the 13th intercostal space at the level of the elbow.	mares with insufficient lactation, chest pain, muscle, tendon or ligament tightness or pain, pleuritis, hepatic disorders.